## NOTE

## NOMENCLATURAL CORRECTIONS IN THE GENUS CAMISSONIA (ONAGRACEAE)<sup>1</sup>

In the process of assembling a nomenclatural index to the genus *Oenothera*, Warren L. Wagner brought to my attention two nomenclatural problems in the genus *Camissonia*. In my 1964 synoptic treatment of the genera of the tribe Onagreae (Brittonia 16: 276–288) I made numerous new combinations of species, then in *Oenothera*, with capitate stigmas and continuous sporogenous tissue, and placed them in the genus *Camissonia*. For *Camissonia chamaenerioides* only an indirect reference to the basionym was indicated (Brittonia 16: 285). The following new combination is indicated:

Camissonia chamaenerioides (A. Gray) Raven, comb. nov.

Based on Oenothera chamaenerioides A. Gray, Pl. Wright. 2: 58. 1853.

The second problem involves *Camissonia pubens*. In my 1969 revision of *Camissonia* (Contr. U.S. Natl. Herb. 37: 161–396) the basionym of *Camissonia pubens* was inadvertently excluded from the list of synonyms (p. 316), and therefore the combination was not validly published. The following new combination is necessary:

Camissonia pubens (S. Wats.) Raven, comb. nov.

Based on Oenothera strigulosa (Fisch. & Mey.) Torr. & A. Gray var. pubens S. Wats., Proc. Amer. Acad. Arts 8: 594. 1873.

—Peter H. Raven, Missouri Botanical Garden, P.O. Box 299, St. Louis, Missouri 63166.

ANN. MISSOURI BOT. GARD. 69: 995. 1982.

<sup>&</sup>lt;sup>1</sup> I am grateful to Warren L. Wagner for bringing these problems to my attention, and to the National Science Foundation for supporting my studies on Onagraceae by means of a series of grants.